

ABOUT THE PROGRAM

The Prescriptive and Custom program makes it easy for our commercial and industrial customers to install high-efficiency electric equipment across a wide range of technologies and receive quick one-for-one incentives. Prescriptive incentives cover equipment listed below for heating and cooling, refrigeration, HVAC controls, lighting and lighting controls, food service equipment, and more. Custom incentives allow for non-standard, more complex electric energy efficiency measures that are not defined as prescriptive measures to receive an incentive.

Process

1. Complete the Prescriptive & Custom incentive workbook and submit as an application on our online portal.
2. Receive a confirmation email that your application has been received. If your project meets all eligibility requirements, your application will be approved.
3. Receive your application pre-approval letter.
4. Install equipment and submit project closeout requirements.
5. Receive your incentive.

For more information on all our offerings, visit atlanticcityelectric.com/Business or contact us at 833.ACE.PAYS (223.7297) or ace.energysavings@trccompanies.com

GENERAL REQUIREMENTS

Approval Requirements

For prescriptive measures, if you purchased and installed equipment without pre-approval, you can still apply for incentives within 90 days of completing the project (completion means all equipment is installed and operational).

- Custom measures must be pre-approved before installing equipment.
- Projects needing pre-approval must accept the incentive offer within 30 days.
- Equipment that previously received incentives from NJCEP or other New Jersey utility programs are not eligible for incentives under this program.

Utility Customer Information Requirements

- Submit a complete Atlantic City Electric utility bill for the service address and account number with your application. The company listed on the bill is considered the applicant.
- The Online Application (OLA) must be digitally signed using Adobe Sign by an authorized person from the customer company/organization. The signatory's contact information must be included on the OLA form.

Trade Ally Requirements

Trade Allies must register with the program prior to submitting an application on behalf of a customer.

Payee Documentation Requirements

- A W9 form for the payee must be submitted with each application. The W9 must be signed by an authorized signatory for the applicant.
- When the applicant customer company is designated as the sole or partial payee, the check will only be mailed to the mailing address on file.

Invoice & Installation Documentation Requirements

- Documentation required for payment will include but is not limited to:
 - Material Invoice(s)
 - Labor Invoice(s)
 - Payment Request Form (if applicable)
 - Payee W9
 - Customer Signed Letter of Attestation (LOA)
- The material invoice must show equipment purchase date and describe the equipment, including model number, quantity, and unit price.
- Equipment for custom measures must have been purchased post-approval.
- The labor invoice must be dated and clearly separate labor costs from material costs.
- Self-installations are allowed but must be identified in the letter of attestation.

Inspection Requirements

- Projects may be inspected, either randomly or at the Program Manager's discretion.

- Participants must provide reasonable access for site inspections. Inspections are required before incentives are paid to confirm project completion.
- Projects needing prior approval will be inspected before the incentive offer is issued to verify pre-measure conditions.

Incentive Expiration Dates and Extension Requests

- For pre-approved projects, submit the Incentive Request Form, Letter of Attestation, and material/labor invoice within 120 days of offer acceptance, or the offer will expire.
- The Program Manager may cancel incentive offers if final documentation is not received before the offer expires.
- Extensions may be granted on a case-by-case basis. Requests must be made before the offer expires and sent directly to the Program Manager.
- Extension requests must explain the project delay, the remedy sought, and any relevant details. The Program Manager may request additional information to evaluate the request.
- Expired projects can be resubmitted but will be subject to the program rules and requirements at the time of resubmission.

PRESCRIPTIVE

Prescriptive incentives are available to eligible equipment types listed below. For models or equipment types not listed below, see the Custom incentives that are available on the last page.

Note: For lighting measures incentivized based on DLC primary use category, only products listed under v5.1 of the Solid-State Qualified Products List are eligible for incentive.

| LIGHTING (Retrofit & Major Renovation) | | | |
|----------------------------------------------|-------------------------|-------------------------|--------------------------------------------------------------------------------------------------|
| LED Troffer Luminaires | | Incentive (per fixture) | Eligibility Standard |
| LED Linear Recessed Troffer/Panel | 1 x 4 LED new luminaire | \$50 | DLC Primary Use Designation as shown and DLC Category: Indoor Luminaires |
| | 2 x 2 LED new luminaire | \$40 | |
| | 2 x 4 LED new luminaire | \$50 | |
| LED Linear Ambient/Stairwell Luminaires | | Incentive (per fixture) | Eligibility Standard |
| LED Direct/Indirect Linear Ambient Luminaire | 2 ft | \$30 | DLC Primary Use Designation as shown and DLC Category: Indoor Luminaires |
| | 3 ft | \$30 | |
| | 4 ft | \$60 | |
| | 6 ft | \$75 | |
| | 8 ft | \$100 | |
| LED Stairwell Luminaire | | \$50 | DLC Primary Use Designation as shown and DLC Category: Indoor Luminaires & Outdoor Luminaires |

| LED Interior Directional Luminaires | | Incentive | Eligibility Standard |
|-----------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|------------------------------------------------------------------------------|
| LED Wall Wash Luminaire | | \$30 per fixture | DLC Primary Use Designation as shown and DLC Category: Indoor Luminaires |
| LED Track/Mono-Point Luminaire Directional Lighting Fixtures | | \$30 per head | |
| LED Display Case Luminaires | | Incentive (per fixture) | Eligibility Standard |
| LED Refrigerated Case Lighting | 4' | \$50 | DLC Primary Use Designation as shown and DLC Category: Indoor Luminaires |
| | 5' | \$50 | |
| | 6' | \$50 | |
| LED High/Low-Bay Luminaires | Incentive (per fixture) | | Eligibility Standard |
| LED High-Bay Aisle Luminaire | \$100 - 5,000 to 9,999 lumens \$150 - 10,000 to 19,999 lumens | | DLC Primary Use Designation as shown and DLC Category: Indoor Luminaires |
| LED High-Bay Luminaires for Commercial and Industrial Buildings | \$200 - 20,000 to 29,999 lumens \$300 - 30,000 to 39,999 lumens \$400 - ≥40,000 lumens | | |
| LED Low-Bay Luminaires for Commercial and Industrial Buildings | \$100 | | Low Bay must be installations above 12ft |
| LED Exterior Luminaires | Incentive (per fixture) | | Eligibility Standard |
| LED Architectural Flood and Spot Luminaries | \$50 - < 5,000 lumens \$150 - 5,000 to 9,999 lumens \$300 - 10,000 to 19,999 lumens \$350 - 20,000 to 29,999 lumens \$450 - 30,000 to 39,999 lumens \$400 - > 40,000 lumens | | DLC Primary Use Designation as shown and DLC Category: Outdoor Luminaires |
| LED Bollard Fixtures | | | |
| LED Fuel Pump Canopy | | | |
| LED Landscape/Accent Flood and Spot Luminaires | | | |
| LED Outdoor Pole/Arm-Mounted Area and Roadway Luminaires | | | |
| LED Outdoor Pole/Arm-Mounted Decorative Luminaires | | | |
| LED Outdoor Wall-Mounted Area Luminaires | | | |
| LED Parking Garage Luminaires | | | |

| LED Retrofit Kits | | Incentive (per fixture) | Eligibility Standard |
|----------------------------------------------------------------------------------------------|-------|-------------------------|-----------------------------------------------------------------------------|
| LED Retrofit Kit for Linear Ambient Luminaires | 2' | \$15 | DLC Primary Use Designation as shown and DLC Category: Indoor Luminaires |
| | 4' | \$15 | |
| | 8' | \$25 | |
| LED Linear Style Retrofit Kit | 1 x 4 | \$15 per kit | |
| | 2 x 2 | \$15 per kit | |
| | 2 x 4 | \$25 per kit | |
| LED Integrated Retrofit Kit | 1 x 4 | \$50 per kit | |
| | 2 x 2 | \$30 per kit | |
| | 2 x 4 | \$50 per kit | |
| LED Retrofit Kits for High-Bay or Low-Bay Luminaires for Commercial and Industrial Buildings | | \$60 | |

| LED ENERGY STAR Fixtures | | Incentive (per fixture) | Eligibility Standard |
|--------------------------|---------------------------|--------------------------------------------------------------------------------|--------------------------------------|
| ENERGY STAR LED Fixture | Accent Light Line Voltage | \$15 - < 1,500 lumens | ENERGY STAR Certified Light Fixtures |
| | Bath Vanity | \$30 - 1,500 to 2,999 lumens | |
| | Cove Mount | \$45 - ≥ 3,000 lumens | |
| | Ceiling Mount | \$10 - < 1,500 lumens \$15 - 1,500 to 2,999 lumens \$20 - ≥ 3,000 lumens | |
| | Close to Ceiling Mount | | |
| | Decorative Pendant | | |
| | Downlight Pendant | | |
| | Downlight Surface Mount | | |
| | Pendant | | |
| | Recessed Downlight | | |
| | Solid State Retrofit | | |
| | Torchiere | | |
| | Wall Sconces | | |
| | Linear Strip | \$5 - < 1,500 lumens | |
| | Wrapped Lens | \$10 - 1,500 to 2,999 lumens | |
| | | \$15 - ≥ 3,000 lumens | |
| | Other | \$10 - < 3,000 lumens \$15 - ≥ 3,000 lumens | |
| | Outdoor (Various Types) | \$30 - < 1,500 lumens | |
| | Outdoor Pole-Mount | \$40 - ≥ 1,500 lumens | |
| | Security | \$20 - < 1,499 lumens \$30 - 1,500 to 2,999 lumens \$40 - ≥ 3,000 lumens | |
| | Under Cabinet | \$11 - < 1,500 lumens | |

| LED Mogul-Screw Base Replacement for HID Lamps <i>with or without New External Driver</i> | | Incentive (per lamp) | Eligibility Standard |
|-------------------------------------------------------------------------------------------|----------|------------------------------|----------------------------------------------------------------------------------------------------------------------|
| HID Replacement Lamp >250W | | \$100 | DLC Category: Mogul (E39) Screw-base Replacements for HID Lamps |
| HID Replacement Lamp >125W - ≤250W | | \$75 | |
| HID Replacement Lamp ≤125W | | \$50 | |
| LED ENERGY STAR - specialty type lamps | | Incentive (per lamp) | Eligibility Standard |
| Vertically Mounted Lamps | | \$8.50 | DLC General Application as shown and DLC Category: Four Pin-Base Replacement Lamps for CFLs |
| Horizontally Mounted Lamps | | \$8.50 | |
| 2G11 Base Lamps | | \$8.50 | |
| LED Linear Lamps | | Incentive (per lamp) | Eligibility Standard |
| LED Linear Replacement Lamps (<i>Type A, B, C, AB</i>) | 2' | \$4 | DLC General Application as shown and DLC Category: Linear Replacement Lamps |
| | 3' to 8' | \$6 | |
| | U-Bend | \$6 | |
| LED Sign Lighting | | Incentive (per watt reduced) | Eligibility Standard |
| Exterior/Dusk-to-Dawn, Interior and 24-hour Application | | \$2 | DLC Primary Use Designation per LED EXTERIOR LUMINAIRES incentive categories and DLC Category: Outdoor Luminaires |
| Other Lighting | | Incentive (per fixture) | Eligibility Standard |
| Exit Signs | | \$20 per unit | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| Horticultural Lighting (Controlled Environment Agriculture) | | \$44 | DLC Horticultural Lighting Qualified Products only. For direct, one-for-one replacement of HID fixtures only |

LIGHTING CONTROLS

| Networked Lighting Controls | | Incentive | Eligibility Standard |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|----------------------------|---------------------------------------------------------------------------------------------------------------------------------|
| Networked Lighting Control (NLC) System Controlling Efficient Luminaires | | \$0.60 per watt controlled | DLC listed UL or other OSHA-approved Nationally Recognized Testing Laboratory in accordance with applicable US standards |
| Networked Lighting Control – Fixture-Level Control (LLLC) | ≥150 watts controlled | \$60 per fixture | |
| | <150 watts controlled | \$30 per fixture | |
| <p>Networked lighting control (NLC) system controlling efficient luminaires</p> <ul style="list-style-type: none">• Need to control new LEDs• DLC NLC V5.0 Qualified or later• Must be facility wide control• Must use a bridge, gateway, or hub <p>A Network Lighting Control (NLC) system is a DLC NLC V5.0 certified product. The system must be used facility wide, and control new LED fixtures. The system must use a “bridge”, “gateway”, or “hub” to control fixtures per manufacturer specifications.</p> <p>Networked lighting control - fixture level control LLLC</p> <ul style="list-style-type: none">• DLC NLC V5.0 Qualified or later• DLC listed as “LLLC”• Must be embedded in fixture (1:1) <p>A Networked lighting control - fixture level control LLLC is a DLC NLC V5.0 certified product. The DLC certificate must show the product is Luminaire Level Lighting Control (LLLC) capable. The sensor installed for each luminaire or kit is directly integrated or embedded, to allow each fixture to its own sensor.</p> | | | |

DECISION FLOW: NETWORKED LIGHTING CONTROL (NLC) VS LUMINAIRE LEVEL LIGHTING CONTROLS (LLLC)

| Feature | Luminaire Level Lighting Controls (LLLC) | Networked Lighting Control (NLC) |
|----------------------------------------------------------|------------------------------------------|----------------------------------|
| Sensors embedded in each luminaire | Yes | No (typically external) |
| Each fixture operates independently | Yes | No (typically zone-based) |
| Requires central controller or gateway | No | Yes |
| Wireless mesh or direct fixture-to-fixture communication | Yes | No (for limited) |
| Requires manual commissioning for zones | No | Yes |
| Integrates with HVAC, plug loads, demand response | No | Yes |

| Dual Daylight/Occupancy Controls <i>Product types covered above under LLLC or NLC</i> | | Incentive (per fixture controlled) | Eligibility Standard |
|----------------------------------------------------------------------------------------------|-------------------------|-------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Dual Daylight & Occupancy Sensor (DOS) | ≥150w per fixture | \$50 | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| | ≥20 & <150w per fixture | \$30 | |
| Daylight Controls | | Incentive (per fixture controlled) | Eligibility Standard |
| Daylight continuous dimming control | ≥150w per fixture | \$40 | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| | ≥20 & <150w per fixture | \$20 | |
| Exterior Lighting Control – Fixture with Integrated Controls | ≥150w per fixture | \$50 | |
| | ≥20 & <150w per fixture | \$30 | |

| Occupancy/Vacancy Controls | Incentive (per fixture controlled) | Eligibility Standard |
|-------------------------------------------------------------|------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Occupancy/Vacancy Sensor - Remote Mounted | \$25 | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| Occupancy/Vacancy Sensor - Wall Mounted | \$25 | |
| Occupancy/Vacancy Sensor – Integrated into New LED Fixture | \$30 | |
| Occupancy Dimming Control - Integrated into New LED Fixture | \$15 | |
| Occupancy Sensor for High-bay – Remote Mounted | \$30 | |

Additional Lighting Requirements

- Incentives for LED measures are available for replacements of existing HID, incandescent/halogen or fluorescent lighting only.
- LED to LED replacements may be considered through the custom path.
- Each LED fixture, bulb or lamp must appear on either the current Design Lights Consortium® (DLC) or ENERGY STAR qualified product list and be listed as one of the measure types on the incentive rates table to be eligible to receive an incentive.
- The Primary Use Category or Indoor/Outdoor rating of the product must align with the way the product is installed as per the category definitions set by DLC or ENERGY STAR. For example, a fixture designated by DLC under the primary use category Outdoor Full-Cutoff Wall-Mounted Area Luminaires will not receive an incentive when installed in an interior space.
- Products listed by DLC under a Specialty category do not qualify for prescriptive incentives but may be considered through the Custom path.
- For LED Horticultural lighting, the prescriptive incentive is offered only for direct HID fixture replacements.
- Integrated control incentives are only available for eligible DLC or ENERGY STAR fixtures. The DLC or ENERGY STAR listing must list the controls as a feature.
- Lighting control incentives are only available if controlling eligible, energy-efficient lighting fixtures that meet the lighting program requirements. Refer to the incentive rate table for a list of eligible controlled fixture types.
- Both hard-wired (power) and battery-powered lighting controls qualify.
- There is no incentive for occupancy sensors installed in a space where they are prohibited by state or local building codes or safety codes. Incentives are not available for the following space types in all cases: corridors, stairwells, lobbies, restrooms, and elevators.
- If more than one eligible lighting control device is associated with the same eligible fixture, the incentive paid will be for the lighting control device that yields the largest incentive only.

HVAC

| Equipment Description | | Incentive (per ton) | Eligibility Standard |
|---------------------------------------------------------------------------------------|-------------------------------------------------|--------------------------------------------------------|-----------------------------------------------------------|
| Unitary - Air Conditioners & Heat Pumps < 5.4 tons (65,000 BTU/hr) – Air Cooled | | | |
| Air Conditioning (AC) only - Split or Packaged | | | |
| Single Package Vertical Air Conditioner | Tier 1 - SEER 16, EER 13 - ≤ 5.4 Tons | \$150 | AHRI Certified |
| | Tier 2 - SEER 18, EER 13 - ≤ 5.4 Tons | \$200 | |
| Unitary HVAC Single Package System | Tier 1 - SEER 16, EER 13 - ≤ 5.4 Tons | \$150 | Per test procedure/conditions defined in ASHRAE 90.1-2019 |
| | Tier 2 - SEER 18, EER 13 - ≤ 5.4 Tons | \$200 | |
| Unitary HVAC Split System | Tier 1 - SEER 16, EER 13 - ≤ 5.4 Tons | \$150 | |
| | Tier 2 - SEER 18, EER 13 - ≤ 5.4 Tons | \$200 | |
| Heat Pumps - Split or Packaged | | | |
| Air Source Heat Pump, Single Package | Tier 1 - SEER 16, EER 13, HSPF 10 - ≤ 5.4 Tons | \$140 | AHRI Certified |
| | Tier 2 - SEER 18, EER 13, HSPF 10 - ≤ 5.4 Tons | \$200 | |
| Air Source Heat Pump, Split System | Tier 1 - SEER 16, EER 13 - HSPF 10 - ≤ 5.4 Tons | \$140 | Per test procedure/conditions defined in ASHRAE 90.1-2019 |
| | Tier 2 - SEER 18, EER 13 - HSPF 10 - ≤ 5.4 Tons | \$200 | |
| Air Conditioners & Heat Pumps > 5.4 tons (65,000 BTU/hr) & ≤ 20 Tons (240,000 BTU/hr) | | | |
| Unitary HVAC Single and Split Package Systems | \$200 | Efficiency rating must meet or exceed ASHRAE 90.1-2019 | |
| Air Source Heat Pump, Single Package or Split System | | | |

| Equipment Description | | Incentive (per ton) | Eligibility Standard |
|-----------------------------------------------------------------------------|---------------------------------------------|---------------------|---------------------------------------------------------------------------------|
| Single Package Vertical | | | |
| Single Package Vertical Air Conditioner, > 5.4 tons & ≤ 20 Tons | | \$200 | Efficiency rating must meet or exceed ASHRAE 90.1-2019 |
| Single Package Vertical Heat Pump - ≤ 20 Tons | | | |
| Central DX Air Conditioners | | | |
| Central DX Air Conditioners | >20 Tons (240,000 BTU/hr) | \$150 | Efficiency rating must meet or exceed ASHRAE 90.1-2019 |
| Water-cooled & Evaporative Cooling Air Conditioners - All Sizes ≤11.25 tons | | | |
| Water Source Heat Pump ≤ 11.25 Tons | Tier 1 -Exceed ASHRAE 90.1-2019 baseline | \$150 | Per test procedure/conditions defined in ASHRAE 90.1-2019 |
| | Tier 2 -5% above ASHRAE 90.1-2019 baseline | \$200 | |
| ENERGY STAR® Geothermal Heat Pumps - All Sizes | | | |
| Ground Source Heat Pump ≤ 11.25 Tons | Tier 1 -5% above ASHRAE 90.1-2013 baseline | \$150 | Per test procedure/conditions defined in ASHRAE 90.1-2019 |
| | Tier 2 -12% above ASHRAE 90.1-2013 baseline | \$250 | |
| Ground Water Source Heat Pump ≤ 11.25 Tons | Tier 1 -5% above ASHRAE 90.1-2013 baseline | \$150 | |
| | Tier 2 -12% above ASHRAE 90.1-2013 baseline | \$250 | |
| Ductless, Mini Split Air Conditioners or Heat Pumps | | | |
| Ductless, Mini Split Air Conditioners or Heat Pumps | SEER ≥20, EER ≥13 or HSPF ≥10 | \$150 | AHRI certified Per test procedure/conditions defined in ASHRAE 90.1-2019 |
| Packaged Terminal Air Conditioners or Heat Pumps - All Sizes | | | |
| Packaged Terminal Air Conditioners | | \$140 | Efficiency rating must meet or exceed ASHRAE 90.1-2019 |
| Packaged Terminal Heat Pumps | | \$200 | |

OTHER HVAC EQUIPMENT

| HVAC Controls | Incentive (per unit) | Eligibility Standard |
|----------------------------------------------|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Occupancy Controlled Thermostat - Electric | \$90 | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards Control or thermostat must be installed on electric HVAC equipment only. |
| Smart Thermostat - Electric | \$100 | |
| Dual Enthalpy Economizer Controls | \$250 | |
| Dual Enthalpy Economizer < 5 Tons controlled | \$250 | |

ELECTRIC CHILLERS

| Chillers – Constant Speed (Path A) <i>Eligible for custom pathway</i> | Incentive (per ton) | Eligibility Standard |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------------------------|
| Air-Cooled Chiller ≤ 1000 tons | \$85 per ton | Chillers for Space Cooling Only Efficiency rating must meet or exceed ASHRAE 90.1-2019 |
| Water-Cooled Chiller, Screw Chiller – Positive Displacement ≤ 600 tons | \$185 per ton | |
| Water-Cooled Chiller, Centrifugal ≤ 1000 tons | \$85 per ton | |
| All Constant Speed Chillers ≥ 1000 tons | Custom | |
| Performance Incentive: <i>Incentive for each 0.1 EER point above or 0.01 kW below minimum efficiency for Full Load or Integrated Part Load Value (IPLV)</i> | \$10 per 0.1 EER or 0.01 kW | |
| Chillers – Variable Speed (Path B) <i>Eligible for custom pathway</i> | Incentive (per ton) | Eligibility Standard |
| Air-Cooled Chiller, VFD ≤ 1000 tons | \$200 per ton | Chillers for Space Cooling Only Efficiency rating must meet or exceed ASHRAE 90.1-2019 |
| Water-Cooled Chiller, Screw Chiller – Positive Displacement, VFD ≤ 600 tons | \$450 per ton | |
| Water-Cooled Chiller, Centrifugal, VFD ≤ 1000 tons | \$200 per ton | |
| All Variable Speed Chillers ≥ 1000 tons | Custom | |
| Performance Incentive: <i>Incentive for each 0.1 EER point above or 0.01 kW below minimum efficiency for Full Load or Integrated Part Load Value (IPLV)</i> | \$10 per 0.1 EER or 0.01 kW | |

| REFRIGERATION | | |
|--------------------------------------------------------------------|----------------------------|----------------------------------------------------------------------------------------------------------------------|
| Anti-Sweat Heat Control | Incentive (per door) | Eligibility Standard |
| Anti-Sweat Heater Control/Door Heater Control for Cooler Door | \$50 | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| Anti-Sweat Heater Control/Door Heater Control for Freezer Door | | |
| Reach-In/Walk-In Coolers & Freezer Evaporated Fan Motor Control | Incentive (per unit) | Eligibility Standard |
| Control on Reach-in Cooler/Freezer ECM | \$75 | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| Control on Reach-in Cooler/Freezer Permanent Split Capacitor Motor | | |
| Control on Reach-in Cooler/Freezer Shaded Pole Motor | | |
| Control on Walk-in Cooler/Freezer Electronically Commutated Motor | | |
| Control on Walk-in Cooler/Freezer Shaded Pole Motor | | |
| Control on Walk-in Cooler/Freezer Permanent Split Capacitor Motor | | |
| Evaporator Fan Controller on Existing Shaded-Pole Motor | | |
| Refrigeration Controls | Incentive | Eligibility Standard |
| Floating-head Pressure Controls | \$75 per ton | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| Variable Speed Refrigeration Compressor | \$1,000 per unit | ASHRAE 90.1-2019 |
| Night Covers | Incentive (per linear ft.) | Eligibility Standard |
| Night Covers - Low temp (-32°F to 0°F) | \$4 (up to \$500 per case) | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| Night Covers - Medium Temp (0°F to 32°F) | | |
| Night Covers - High Temp (32°F to 55°F) | | |
| Reach-In Door Closer | Incentive (per unit) | Eligibility Standard |
| Automatic Door Closer - Cooler | \$50 | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| Automatic Door Closer - Freezer | \$75 | |

| Doors | Incentive (per linear ft. of width) | Eligibility Standard |
|--------------------------------------------------------|--------------------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Refrigeration Display Case Doors on Open Display Case | \$25 (up to \$600 per case) | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| Door Gaskets | Incentive (per linear ft.) | Eligibility Standard |
| Cooler Reach-In/Walk-In | \$4 | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| Freezer Reach-In/Walk-In | | |
| Strip Curtains – assumed 21 square ft. per unit | Incentive (per square ft.) | Eligibility Standard |
| Strip Curtain for Walk-In Coolers and Freezers | \$5 | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |

VARIABLE FREQUENCY DRIVES

| VFD | Incentive | Eligibility Standard |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>2 HP to less than 100 HP motors, for the following applications only:</p> <ul style="list-style-type: none"> • Supply Air Fan • Return Air Fan • Chilled Water Pump • Heating Hot Water Pump • Water Source Heat Pump Circulation Pump • Cooling Tower Fan • Boiler Feedwater Pump | 2 HP - \$500/unit | <p>Horsepower (HP) refers to nameplate HP of the motor controlled by the drive.</p> <p>UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards</p> |
| | 3 HP - \$600/unit | |
| | 4 HP - \$700/unit | |
| | 5 HP - \$800/unit | |
| | 7.5 HP - \$900/unit | |
| | 10 HP - \$1,000/unit | |
| | 15 HP - \$1,350/unit | |
| | 20 HP - \$1,500/unit | |
| | 25 HP - \$1,600/unit | |
| | 30 HP - \$1,800/unit | |
| | 40 HP - \$2,000/unit | |
| | 50 HP - \$2,500/unit | |
| | 60 HP - \$3,000/unit | |
| <p>≥ 100 HP & ≤ 200 HP motors, <i>same applications as listed above</i></p> | 75 HP - \$3,750/unit | |
| | 100 HP - \$5,000/unit | |
| | \$40 per HP controlled | |

ELECTRONICALLY COMMUTATED MOTORS

| ECMs | Incentive (per unit) | Eligibility Standard |
|----------------|----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 0 to ≤ 3 HP | \$150 | Horsepower (HP) refers to nameplate HP of the motor. UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| > 3 to ≤ 5 HP | \$250 | |
| > 6 to ≤ 10 HP | \$500 | |
| > 10 HP | \$750 | |

COMMERCIAL KITCHEN EQUIPMENT

| ENERGY STAR Commercial Dishwashers | | Incentive (per unit) | Eligibility Standard |
|-----------------------------------------------------|--------------------|-----------------------------|--------------------------------------------------------------------------|
| Under Counter | Low Temp Electric | \$75 | Equipment must be qualified by the current version of ENERGY STAR or CEE |
| | High Temp Electric | \$350 | |
| Door Type | Low Temp Electric | \$400 | |
| | High Temp Electric | \$600 | |
| Single Tank Conveyor | Low Temp Electric | \$400 | |
| | High Temp Electric | \$1,000 | |
| Multiple Tank Conveyor | Low Temp Electric | \$1,000 | |
| | High Temp Electric | \$1,500 | |
| Hot Food Holding Cabinets | | Incentive (per unit) | Eligibility Standard |
| Hot Food Holding Cabinets – ½ Size | | \$210 | Equipment must be qualified by the current version of ENERGY STAR or CEE |
| Hot Food Holding Cabinets – ¾ Size | | \$420 | |
| Hot Food Holding Cabinets – Full Size | | \$420 | |
| ENERGY STAR Cooking Equipment | | Incentive (per unit) | Eligibility Standard |
| Vat Fryers – Electric | | \$200 | Equipment must be qualified by the current version of ENERGY STAR or CEE |
| Griddles - Electric | | \$300 | |
| ENERGY STAR Combination and Convection Ovens | | Incentive (per unit) | Eligibility Standard |
| Convection Ovens | | \$350 | Equipment must be qualified by the current version of ENERGY STAR or CEE |
| Combination Ovens | | \$1000 | |
| Commercial Steam Cooker | | \$150 per pan | |
| Other Food Service Equipment | | Incentive (per unit) | Eligibility Standard |
| Pre-Rinse Spray Valve – Electric Water Heating | | \$10 | N/A |
| Energy Star Beverage Vending Machine | | \$75 | ENERGY STAR |

| ENERGY STAR Commercial Ice Machines | | Incentive (per unit) | Eligibility Standard |
|----------------------------------------------------------|-------------------|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Commercial Ice Machines – Tier 1 (ENERGY STAR Certified) | 0-300 lbs/day | \$75 | Tier 1: ENERGY STAR Certified Commercial Ice Machines: https://www.energystar.gov/productfinder/product/certified-commercial-ice-machines/results |
| | 301-500 lbs/day | \$100 | |
| | 501-1000 lbs/day | \$150 | |
| | 1001-1500 lbs/day | \$200 | |
| Commercial Ice Machines – Tier 2 (CEE Certified) | 0-300 lbs/day | \$100 | Tier 2: CEE Commercial Kitchens Ice Machines: Must be on CEE Tier 2 Ice Machines tab: https://library.cee1.org/content/commercial-kitchens-ice-machines-qualifying-product-list |
| | 301-500 lbs/day | \$150 | |
| | 501-1000 lbs/day | \$200 | |
| | 1001-1500 lbs/day | \$300 | |
| ENERGY STAR Commercial Solid Door Refrigerators | | Incentive (per unit) | Eligibility Standard |
| < 15 ft ³ | | \$75 | Equipment must be qualified by the current version of ENERGY STAR or CEE |
| ≥ 15 to < 30 ft ³ | | \$100 | |
| ≥ 30 to < 50 ft ³ | | \$150 | |
| ≥ 50 ft ³ | | \$200 | |
| ENERGY STAR Commercial Solid Door Freezers | | Incentive (per unit) | Eligibility Standard |
| < 15 ft ³ | | \$100 | Equipment must be qualified by the current version of ENERGY STAR or CEE |
| ≥ 15 to < 30 ft ³ | | \$200 | |
| ≥ 30 to < 50 ft ³ | | \$300 | |
| ≥ 50 ft ³ | | \$400 | |
| ENERGY STAR Commercial Glass Door Refrigerators | | Incentive (per unit) | Eligibility Standard |
| < 15 ft ³ | | \$75 | Equipment must be qualified by the current version of ENERGY STAR or CEE |
| ≥ 15 to < 30 ft ³ | | \$100 | |
| ≥ 30 to < 50 ft ³ | | \$125 | |
| ≥ 50 ft ³ | | \$150 | |
| ENERGY STAR Commercial Glass Door Freezers | | Incentive (per unit) | Eligibility Standard |
| < 15 ft ³ | | \$200 | Equipment must be qualified by the current version of ENERGY STAR or CEE |
| > 15 to < 30 ft ³ | | \$250 | |
| ≥ 30 ft ³ | | \$300 | |

PLUG LOAD CONTROLS

| Plug Load Controls | Incentive (Per Unit) | Eligibility Standard |
|-------------------------------------------|----------------------|----------------------------------------------------------------------------------------------------------------------|
| Personal Occupancy Sensor | \$50 | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| Hotel Room HVAC Controls | \$150 | |
| Smart Power Strip | \$10 | N/A |
| Vending Machine Controls | Incentive (Per Unit) | Eligibility Standard |
| Non-Refrigerated Vending Machine Controls | \$50 | ENERGY STAR |
| Refrigerated Vending Machine Controls | \$125 | |
| Glass Front Refrigerated Cooler Control | \$150 | |

COMMERCIAL APPLIANCES

| ENERGY STAR Clothes Washers | Incentive (per unit) | Eligibility Standard |
|-----------------------------------------------------------------------------------------------|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| Tier 1 – Modified Energy Factor (MEF) ≥ 2.2 , Integrated Water Factor (IWF) ≤ 4.5 | \$100 | Tier 1: Must be qualified by the current version of ENERGY STAR. Modified Energy Factor (MEF) ≥ 2.2 , Integrated Water Factor IWF ≤ 4.5 |
| Tier 2 – Modified Energy Factor (MEF) ≥ 2.42 , Integrated Water Factor (IWF) ≤ 4.05 | \$200 | Must be qualified by the current version of ENERGY STAR, and product specifications must indicate 10% improvement over Tier 1 MEF and IWF values |

OFFICE EQUIPMENT

| ENERGY STAR Office Equipment | Incentive (per unit) | Eligibility Standard |
|------------------------------------|------------------------|----------------------|
| Monitors | \$5 | ENERGY STAR |
| Computers | \$5 | |
| Uninterruptible Power Supply (UPS) | \$40 per kVA | |
| Imaging | \$10 | |
| Small Network PC Controller | \$15 per PC Controlled | N/A |

WATER HEATING

| ENERGY STAR Heat Pump Water Heaters | Incentive (per unit) | Eligibility Standard |
|-----------------------------------------|----------------------|----------------------|
| Heat Pump Electric Storage Water Heater | \$1,000 | ENERGY STAR |

AGRICULTURE

| Agriculture Equipment | Incentive (per unit) | Eligibility Standard |
|-----------------------------------------------|----------------------|----------------------------------------------------------------------------------------------------------------------|
| Auto Milker Takeoff | \$90 | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| Dairy Scroll Compressor | \$1,000 | |
| High Speed Fan 24" to 35" | \$30 | |
| High Speed Fan 36" to 47" | \$50 | |
| High Speed Fan 48" to 71" | \$100 | |
| Livestock Waterer | \$60 | |
| Dairy Vac Pump VSD Controls | \$1,000 | |
| Dairy Refrigeration Tune-Up | \$200 | |
| Engine Block Heater Timer | \$25 | |
| Heat Reclaimers | \$1,000 | |
| High Volume Low Speed Fans (Destratification) | Incentive (per unit) | Eligibility Standard |
| High Volume Low Speed Fan (HVLS) 16' | \$250 | UL or other OSHA-approved Nationally Recognized Testing Laboratory (NRTL) in accordance with applicable US standards |
| High Volume Low Speed Fan (HVLS) 18' | \$400 | |
| High Volume Low Speed Fan - 20' | \$500 | |
| High Volume Low Speed Fan - 22' | \$550 | |
| High Volume Low Speed Fan - 24' | \$600 | |

RESIDENTIAL APPLIANCES in C&I BUILDINGS – Non-Commercial Duty

| ENERGY STAR Residential Appliances | Incentive (per unit) | Eligibility Standard |
|------------------------------------|----------------------|------------------------------------|
| Clothes Washer Tier 1 | \$100 | Tier 1: ENERGY STAR listed product |
| Clothes Dryer | \$50 | |
| Refrigerators Tier 1 | \$100 | |
| Freezer | \$50 | |
| Dehumidifier | \$25 | |
| Room Air Conditioner | \$25 | |
| Water Cooler | \$50 | |

CUSTOM

The Custom program provides commercial and industrial customers with the opportunity to implement non-standard, more complex energy efficiency measures that are not defined as a prescriptive measure. Through the Custom program, we help customers develop projects that best meet their unique facility and organizational goals. Custom measures do not include maintenance or repair measures. Custom projects are typically multi-measure or optimization solutions for which customers earn performance-based incentives for kWh and therm savings.

Projects are subject to program incentive caps including but not limited to 75% of relevant project costs or a buy-down to a 2-year payback, whichever is less.

| CUSTOM MEASURES | | |
|----------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Typical Custom Equipment and Building Improvements | Incentive | Eligibility Standard |
| Compressed Air | \$0.30 per est. annual kWh saved \$3.75 per est. annual therm saved | Applicability of codes & standards is subject to Program Manager discretion. State energy code is ASHRAE 90.1-2019. Other standards include ENERGY STAR®, Design Lights Consortium®, NEMA, Federal Title 10, among others. |
| Refrigeration | | |
| Data Center Equipment/Servers | | |
| HVAC/Chillers | | |
| HVAC Controls | | |
| Motors/VFD | | |
| Building Improvements | | |
| Process Improvements | | |
| Agricultural Process | | |
| Custom Lighting | \$0.16 per est. annual kWh saved | |